




KEY	01 	02 	04 Traffig y gwyriad Diverted Traffic	06 Traffig y gwyriad Diverted Traffic	08 Gwyriad Diversion	10 FFORDD O'CH BLAEN AR GAU ROAD AHEAD CLOSED	12 Traffig y Gwrriad Diverted Traffic	14 Traffig y gwyriad Diverted Traffic	16 FFORDD O'CH BLAEN AR GAU ROAD AHEAD CLOSED
1A Advanced Warning ROAD CLOSED HERE ON XX/XX/XX FOR XX DAYS FROM XX:XX TO XX:XX	FFORDD AR GAU ROAD CLOSED	03 DIWEDD y gwyriad Diversion ENDS	05 Traffig y gwyriad Diverted Traffic	07 Gwyriad Diversion	09 Gwyriad Diversion	11 Traffig y Gwrriad Diverted Traffic	13 Traffig y Gwrriad Diverted Traffic	15 FFORD O'CH BLAEN AR GAU MYNEDIAD I BRESWYLWYR YN UNIG ROAD AHEAD CLOSED RESIDENT ACCESS ONLY	17 FFORDD O'CH BLAEN AR GAU ROAD AHEAD CLOSED



	18
	19
ROAD CLOSED AT NANYFFIN PLEASE FOLLOW DIVERSION	20
XXXXXXXX XXXXXXXX XXXXXXXX XXXXXXXX	21
ROAD CLOSURE	
DIVERSION ROUTE	
03 CLOCKWISE ROUTE	
03 ANTI-CLOCKWISE ROUTE	
ROAD CLOSURE LENGTH	505 METRES
ROAD CLOSURE WIDTH	4.5 METRES

Contract No	220-S010458	Client: OPENREACH
Date	02/10/2024	Site Location / Drawing Title
Drawn by	CC/878	BRECHFA TO ABERGORLECH
Approved By	220	CARMARTHEN DYFED
Purpose of works	TELECOM WORKS	SA32 7RE
Version Number	01	
Amended By	xxxxxxxxx	
Amendment Date	xx/xx/xxxx	Scale
Sheet No	1 of 1	OS Licence No
		NOT TO SCALE
		000000000000

Note
 1. All equipment shall be approved and shall comply with the Department Of Transport specification MCE0111. This drawing does not show the normal road works signage that will be required as per Chapter 8.
 2. All signs to be in accordance with TSGRD 2002 and to minimum class retroreflective.
 3. Minimum height of lettering to be 60mm and sign boards to be 1000mm (750mm where appropriate).

The information in this drawing may not be copied or used by third parties without written consent from Sunbelt Rentals Ltd (Traffic Management).
 This layout is for installation by NRSWA, Lantra 12A,12B,12C,12D qualified persons.
 All works shall be in accordance with Safety at Street Works and Road Works, A Code of Practice 2013 & Chapter 8

TO BE INSTALLED AT CLOSURE POINTS

THIS DOCUMENT IS UNCONTROLLED WHEN PRINTED
 The electronic version of this document is the approved and most current. Any printed version is uncontrolled and may not be current.

DETAIL AL

Manned Airlock system.
 Notes:
 1) Minimal site traffic 25 - 30m air lock is sufficient. Extend airlock for larger work vehicle flow.
 2) Red lamps to be used on Nissen Barrier (all HE networks)

SUNBELT RENTALS
 Sunbelt Rentals UK (Traffic Management)
 Kemble Airfield Enterprise Park, Cirencester Road,
 Kemble GL7 6BQ
 Telephone: 0370 050 0792